Reply of Government.—The matter is one for the Municipality to consider.

Subject No. 313.

Sanskrit School at Chikmagalur.

Mr. C. Srinivasa Rao.

Summary of Representation.—A Sanskrit school may be established at Chikmagalur out of the temple funds of the Sri Kalaseswaraswami temple of Kalasa in the Mudgere Taluk.

Reply of Government.—The Government in their Proceedings No. 1017 (Muz. F. 63-97, dated 13th November 1902), have finally decided declining to sanction the proposal. The temple Dharmadarsees are not in favor of a grant being made out of the temple funds.

Subject No. 314.

Roads.

Mr. Ganes Rao.

Summary of Representation.—The following roads are required:—(1) a road to connect Hosapete near Santaveri with Sakrepatna; (2) a road connecting Chickanahalli and Chikmagalur; and (3) a road through the Pandravalli valley to connect Muthodi on to Chikmagalur-Yedahalli road.

Reply of Government.—The matter is under investigation in the Public Works Department.

Subject No. 315.

Tunnels and Bridges.

Mr. Ganes Rao.

Summary of Representation.—Tunnels and bridges should be built across streams, etc., in the following roads:—

(1) Yedahalli-Balehonnur road.

(2) Balehonnur-Kalasa road.

Reply of Government.—Noted.

Subject No. 316.

Repairs to the Wastara Tank

Mr. C. Srinivasa Rao.
" Vasudeva Rao.

Summary of Representation.—The repairs to the Wastara Tank may be undertaken.

Reply of Government.—The Deputy Commissioner will be asked to report on the subject.

TUMKUR DISTRICT.

Subject No. 317.

Water-supply for Tumkur.

Mr. Ramanuja Iyengar.

Summary of Representation.—Drinking water is scarce at Tumkur. Arrangement should be made for conveying water to Tumkur from an unfailing source of supply.

Reply of Government.—Not practicable.

Subject No 318.

Repairs to the feeder channel of Nittur tank.

Mr. Hutcheere Gowda.

Summary of Representation.—The feeder channel of Nittur tank called the "Suley" canal may be repaired so as to bring a sufficient supply of water to the tank.

Reply of Government.—A further investigation will be ordered as the member represents that the cost is not likely to exceed Rs. 2,000.

Subject No. 319.

Fresh water wells for Kadaba.

Mr. Hutcheere Gowda.

Summary of Representation.—The Kadaba tank has not filled for the last two years. This year all the water was let off for wet and garden cultivation and the wells dried up. Kadaba is a Municipal Town and must be given more wells.

Reply of Government.—To Deputy Commissioner for disposal.

Subject No. 320.

Repairs to the Sri Ramadevaru temple at Kadaba.

Mr. Ramanuja Iyengar.

Summary of Representation.—The inner portion of the temple of Sri Ramadevaru has been repaired. The outer walls, door-way and Gopuram of the temple may be repaired by the Muzrai Department at an early date.

Reply of Government.—Noted.